

FEATURES

Contract

Contract No: GEMC-511687714710530 Generated Date:02-Jul-2020

| | | | | | | | Bid/RA/ | PR No:GE | M/2020/B | /659050 |
|--|--|--|--|--|-------------|---------------------|-----------|--|------------------------------|-----------|
| ation Deta | ils | | | Buyer D | etails | | | | | |
| - nt: Urban on N/A e. Aurang | State Local Bodies - Urban Development Department | | | Name: Pushkal Shivam Designation:Senior Consultant Contact No.: Email ID: buycon1.amc.mhrt@gembuyer.in | | | | | | |
| | I I Detail ative Approval : Chief Execu Approval : Chief Executive C | | | | | | | | | |
| etails | | | | | | | | | | |
| Name: b.: ified: | 98: prc 1A Pu No | CO-NEEL EFFE 22545407 oneelpune@yah ,C WING BK AV ne, MAHARASH ALVPP5921F1Z | oo.com /ENUE,NEW HTRA-411038 | DP ROAD, K | OTHRU | D,PUNE, | | | | |
| Details | | | | | | | | | | |
| # Item Description | | Category Name | | Model | HSN Code | Ordered Quantity | Unit a | Price Inclusive of all Duties and Taxes in NR) | | |
| CP-MED Hand Held Digital Infrared medical thermometer for measuring body temperature Non Contact Infrared Thermometer true | | | Infrared Medical Thermometer For Measuring BodyHSN not specified by seller | | | 2,000 | pieces 5 | 5,400,000 | | |
| Total Order Value (in INR) | | | | | | | | • | . 5 | 5,400,000 |
| nee Detail | | | | | | | | | | |
| S.No Consignee Item | | | | | | | | Quantity | Expected Delivery Date | |
| 1 | | | nd Held Digital Infrared medical thermometer for measuring body Non Contact Infrared Thermometer true | | | | 2,000 | 05-Jul-2020 | | |
| - | tion for CP-MED Har red Thermometer tru | _ | ital Infrare | d medica | l therr | nomete | r for mea | suring bo | ody temp | erature |
| tion Sul | b-Spec | Value | | | | | | | | |
| Proc | duct Description | Hand Held Digit | and Held Digital Infrared medical thermometer for measuring body temperature | | | | | | | |
| GENERAL Purpose | | | Infrared thermometer is a quick and easy-to-use method to measure body temperature | | | | | | | |
| con1.amc.mhr CDCL War Roo ntre, Near Amk RANGABAD, N ia Specificat ntact Infrai ntact Infrai | om, Ambedkar Research khas Maidan, MAHARASHTRA-431001, tion for CP-MED Har red Thermometer tru b-Spec | temperature f nd Held Digi ie Value | Non Contact I | nfrared Therr | nometer | nomete | r for mea | suring bo | | e |

| | Suitable for | All age group |
|---------|--|------------------------------------|
| PRODUCT | Type of Thermometer | Non Contact Infrared Thermometer |
| | Body Material of IR Thermometer | Polypropylene |
| | Color of Device | White |
| | Ergonomic Design | Yes |
| | Temperature display unit | Degree Celsius & Degree Fahrenheit |
| | Primary Measurement Mode | Body Temperature Mode |
| | Measuring site for body temperature | Forehead |
| | Lowest measurable temperature for body Mode | 32°C (89.6°F) or Lower |
| | Highest measurable temperature for body Mode | 42°C (107.6°F) or Higher |
| | Accuracy of measurement for body temperature in °C (±) | 0.2 |
| | Accuracy of measurement for body temperature in °F (±) | 0.2 |
| | Additional measurement modes available | NA |
| | Lowest measurable temperature for surface mode | NA |
| | Highest measurable temperature for surface mode | NA |
| | Accuracy of measurement for surface temperature in °C (±) | NA |
| | Accuracy of measurement for surface temperature in °F (±) | NA |
| | Lowest measurable temperature for room temperature mode | NA |
| | Highest measurable temperature for room temperature mode | NA |
| | Sensor Type | Thermal Sensor |
| | Display Resolution | 0.1°C/0.1°F |
| | Response Time | 0.5 |
| | Measuring distance for non contact type IR thermometer | 5 cm or better |
| | Number of recent readings that can be stored | 32 |
| | Built-in laser pointer | No |
| | Laser sighting | NA |
| | Laser class | NA |
| | Weight of device with battery | 300 |
| | Dimensions of device (mm x mm x mm) | 160X100X40 |

| DISPLAY | Display Type | LCD Display | | | | |
|-----------------------------|---|---|--|--|--|--|
| | Backlit Display | Yes | | | | |
| | Display size | 1.5 | | | | |
| FEATURES | Features available | Interchangeable Celsius & Fahrenheit modes,Low battery indicator,Auto power on,Trigger/Button for operation,Auto power off when not in use,Display of previous reading on screen with current reading,Sound indication when the thermometer is ready to take or show the temperature,Audible alarm for fever,Different backlight colours to differentiate between the fever ranges,Silent mode,Auto hold function,Waterproof lens eas to clean and disinfect,Limit value for the adjustable alarm as programmable | | | | |
| POWER SOURCE | Power source | Non Rechargeable Battery | | | | |
| | Battery chemistry | Alkaline Battery | | | | |
| | Battery size, if Non Rechargeable Battery | AAA | | | | |
| | Number of batteries required for operation | 2 | | | | |
| | Number of batteries supplied (Inclusive in the scope of supply) | 2 | | | | |
| | Nominal voltage of each battery (V) | 1.5 | | | | |
| | Battery capacity (mAH) | 1800 | | | | |
| ACCESSORIES | Accessories Provided | User Manual in English | | | | |
| | Minimum operating temperature | 10 | | | | |
| ENVIRONMENTAL CONDITIONS | Maximum operating temperature | 40 | | | | |
| | Maximum operating relative humidity (non condensing) | 90 | | | | |
| | Minimum storage temperature | 0 | | | | |
| | Maximum storage temperature | 50 | | | | |
| | Ingress Protection | IP 65 | | | | |
| PACKING | The supplier/vendor shall ensure proper and adequate packing of IR thermometer to prevent damage in transporting, handling and storage | Yes | | | | |
| CERTIFICATIONS & REPORTS | Availability of conformity certificate of IR thermonmeter to prove conformity to the declared specifications from OEM | Yes | | | | |
| | Availability of calibration certificate for each device from OEM | Yes | | | | |
| | Product certifications | US-FDA | | | | |
| | Compliance to standards | ROHS | | | | |
| | Manufacturer certifications | ISO:9001 | | | | |
| | Submission of all necessary certifications to the buyer along with supplies | Yes | | | | |

| I RAINING I | The supplier/vendor shall provide free of cost training to the personnel in operation if required by the buyer | Yes | |
|-------------|---|-----|--|
| WARRANTY | Warranty | 1 | |

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.2 Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.3 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.4 Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.5 OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.6 OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.7 Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.8 Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.